

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 05-Jan-2016

Print date: 29-Mar-2016

Version: 5

Page 1/8



## etolit Clean

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

etolit Clean

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products (including solvent based products)

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

etol-Werk Eberhard Tripp GmbH & Co.OHG

Labor

Allerheiligenstr. 12

77728 Oppenau

Germany

Telephone: +49(0)7804/41-0

Telefax: +49(0)7804/41-168

E-mail: info@etol.de

Website: www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

#### 1.4. Emergency telephone number

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals ( <i>Met. Corr. 1</i> )	H290: May be corrosive to metals.	
Skin corrosion/irritation ( <i>Skin Corr. 1A</i> )	H314: Causes severe skin burns and eye damage.	

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



**GHS05**  
Corrosion

Signal word: Danger

Hazard components for labelling:

potassium hydroxide

hazard statements for physical hazards	
H290	May be corrosive to metals.
hazard statements for health hazards	
H314	Causes severe skin burns and eye damage.

Supplemental Hazard information (EU): -

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 05-Jan-2016

Print date: 29-Mar-2016

Version: 5

Page 2/8



## etolit Clean

### Precautionary statements Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary statements Response

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...



### 2.3. Other hazards

No data available

## SECTION 3: Composition / information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 1310-58-3 EC No.: 215-181-3 INDEX No.: 019-002-00-8 REACH No.: 01-2119487136-33	potassium hydroxide Skin Corr. 1A, Acute Tox. 4   <b>Danger</b> H302-H314	5 - 25 Wt %

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

#### Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention.

#### After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### After ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get immediate medical advice/attention.

#### Self-protection of the first aider:

Use personal protection equipment.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 05-Jan-2016

**Print date:** 29-Mar-2016

**Version:** 5

Page 3/8



## etolit Clean

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water

Carbon dioxide (CO<sub>2</sub>)

Extinguishing powder

##### Unsuitable extinguishing media:

Strong water jet

#### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

###### Personal precautions:

Remove persons to safety.

###### Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

##### 6.1.2. For emergency responders

###### Personal protection equipment:

Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### For containment:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

##### For cleaning up:

Water (with cleaning agent)

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Protective measures

###### Advices on safe handling:

Wear personal protection equipment (refer to section 8).

###### Fire prevent measures:

No special measures are necessary.

###### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 05-Jan-2016

Print date: 29-Mar-2016

Version: 5

Page 4/8



## etolit Clean

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed.

#### Requirements for storage rooms and vessels:

Keep/Store only in original container.

**Storage class:** 8B - Non-combustible corrosive substances

### 7.3. Specific end use(s)

No data available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

No data available

#### 8.1.2. biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
potassium hydroxide CAS No.: 1310-58-3	1 mg/m <sup>3</sup>	① DNEL worker ② DNEL long-term inhalative (local)
Alkyl amidopropyl betaine	44 mg/m <sup>3</sup>	① DNEL worker ② DNEL long-term inhalative (systemic)
Alkyl amidopropyl betaine	12.5 mg/kg	① DNEL worker ② DNEL long-term dermal (systemic)

Substance name	PNEC Value	① PNEC type
Alkyl amidopropyl betaine	0.0135 mg/l	① PNEC aquatic, freshwater
Alkyl amidopropyl betaine	0.00135 mg/l	① PNEC aquatic, marine water
Alkyl amidopropyl betaine	3,000 mg/l	① PNEC sewage treatment plant (STP)

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No data available

#### 8.2.2. Personal protection equipment



#### Eye/face protection:

Eye glasses with side protection

#### Skin protection:

Tested protective gloves must be worn DIN EN 374 Suitable material: NBR (Nitrile rubber) >0,3mm Breakthrough time (maximum wearing time) 480min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

#### Respiratory protection:

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### 8.2.3. Environmental exposure controls

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 05-Jan-2016

Print date: 29-Mar-2016

Version: 5

Page 5/8



## etolit Clean

### 8.3. Additional information

No data available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state: liquid

Colour: red

Odour: characteristic

#### Safety relevant basis data

parameter		at °C	method	Remark
pH	14	20 °C		
Melting point/freezing point	<i>not determined</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	> 90 °C			
Decomposition temperature (°C):	<i>not determined</i>			
Flash point	<i>not applicable</i>			
Evaporation rate	<i>not determined</i>			
Ignition temperature in °C	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Density	= 1.1 g/cm <sup>3</sup>	20 °C		
Bulk density	<i>not determined</i>			
Water solubility (g/L)	completely miscible	20 °C		
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	<i>not determined</i>	40 °C		

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Materials to avoid :

Acid

Light metals

### 10.6. Hazardous decomposition products

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 05-Jan-2016

Print date: 29-Mar-2016

Version: 5

Page 6/8



## etolit Clean

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
1310-58-3	potassium hydroxide	LD <sub>50</sub> oral: =273 mg/kg (Rat)

**Skin corrosion/irritation:**

Causes severe burns.

**Eye damage/irritation:**

Causes serious eye damage.

**Respiratory or skin sensitisation:**

Based on available data, the classification criteria are not met.

**Carcinogenicity:**

Based on available data, the classification criteria are not met.

**Reproductive toxicity:**

Based on available data, the classification criteria are not met.

**STOT-single exposure:**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

**Aspiration hazard:**

Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

**12.1. Toxicity**

No data available

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

No data available

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

No data available

### SECTION 13: Disposal considerations

**13.1. Waste treatment methods**

**13.1.1. Product/Packaging disposal**

Waste codes/waste designations according to EWC/AVV

**Waste code product:**

20 01 29 \* municipal wastes: Detergents containing dangerous substances

\*: Evidence for disposal must be provided.

**Waste code packaging:**

15 01 10 packaging containing residues of or contaminated by dangerous substances

**Waste treatment options**

**Appropriate disposal / Product:**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 05-Jan-2016

Print date: 29-Mar-2016

Version: 5

Page 7/8



## etolit Clean





### Appropriate disposal / Package:

Completely emptied packages can be recycled.

### 13.2. Additional information

No data available

## SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN-No.</b>			
1814	1814	1814	1814
<b>14.2. UN proper shipping name</b>			
POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION
<b>14.3. Transport hazard class(es)</b>			
 8	 8	 8	 8
<b>14.4. Packing group</b>			
II	II	II	II
<b>14.5. Environmental hazards</b>			
No	No	No	No
<b>14.6. Special precautions for user</b>			
<b>Special provisions: Limited quantity (LQ):</b> <b>Hazard identification number (Kemler No.):</b> <b>Classification code: - tunnel restriction code: E</b> <b>Remark:</b>	<b>Special provisions: Limited quantity (LQ):</b> <b>Classification code: - Remark:</b>	<b>Special provisions: Limited quantity (LQ):</b> <b>EmS-No.: Remark:</b>	<b>Special provisions: Limited quantity (LQ):</b> <b>Remark:</b>

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

No data available

#### 15.1.2. National regulations

 [DE] National regulations

#### Water hazard class (WGK)

##### WGK:

1 - schwach wassergefährdend

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 05-Jan-2016

**Print date:** 29-Mar-2016

**Version:** 5

Page 8/8



## etolit Clean

### 15.2. Chemical Safety Assessment

No data available

### 15.3. Additional information

No data available

## SECTION 16: Other information

### 16.1. Indication of changes

No data available

### 16.2. Abbreviations and acronyms

No data available

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

**Classification according to Regulation (EC) No 1272/2008 [CLP]-:**

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals ( <i>Met. Corr. 1</i> )	H290: May be corrosive to metals.	
Skin corrosion/irritation ( <i>Skin Corr. 1A</i> )	H314: Causes severe skin burns and eye damage.	

### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.