According regulation (EC) No. 1907/2006

Page: 1

Compilation date: 18.02.2011

Revision date: 03.08.2015

Revision No: 6

Section 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name: Detergent Tab for RATIONAL SelfCookingCenter[®], Art.-No. 56.00.206, 56.00.210, 56.00.220 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of substance / mixture: Cleaner for professional users 1.3. Details of the supplier of the safety data sheet Company name: Rational AG Iglinger Strasse 62 D - 86899 Landsberg Germany Tel: +49 (0)8191 - 3270 Fax: +49 (0)8191 - 21735 Email: reinigung@rational-online.de 1.4. Emergency telephone number Emergency tel: +49 (0)89 - 19240 (24 hours Giftnotruf München) Section 2: Hazards identification 2.1. Classification of the substance or mixture Classification under CLP: Skin Corr. 1A: H314 Classification under CHIP: C: R35 Most important adverse effects: Causes severe skin burns and eye damage. *2.2. Label elements Label elements under CLP: Hazard statements: H314: Causes severe skin burns and eye damage. Signal words: Danger Hazard pictograms: GHS05: Corrosion Hazard components for labelling: sodium hydroxide, disodium metasilicate, fatty alcohol ethoxylate

Precautionary statements: P102: Keep out of reach of children.

P101: If medical advice is needed, have product container or label at hand.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing.

Detergent Tab for RATIONAL SelfCookingCenter®

Page: 2

Rinse skin with water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P310: Immediately call a POISON CENTER or doctor.

P501: Dispose of contents to problem waste.

2.3. Other hazards

PBT: This substance is not identified as a PBT substance.

Section 3: Composition/information on ingredients

*3.2. Mixtures

Hazardous ingredients:

SODIUM HYDROXIDE - REACH registered number(s): 01-2119457892-27-0000

EINECS	CAS		CLP Classification	Percent
215-185-5	1310-73-2		Skin Corr. 1A: H314	>20%
DISODIUM METASILICATE - REACH registered number(s): 01-2119449811-37-0000				
229-912-9	6834-92-0		Skin Corr. 1B: H314; STOT SE 3: H335	10-<20%
SODIUM CARBO	ONATE - REACH	registered number(s): 01-2119485498-	19-0000	
207-838-8	497-19-8		Eye Irrit. 2: H319	10-20%
FATTY ALCOHOL ALKOXYLATE - REACH registered number(s): 02-2119548491-37-0000				
-	111190-40-0		Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411	1-<2.5%

Section 4: First aid measures

4.1. Description of first aid measures

4.1. Description of mist aid measures			
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the		
	affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer		
	to hospital if there are burns or symptoms of poisoning.		
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist		
	examination.		
Ingestion:	Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Do not		
	induce vomiting. Consult a doctor.		
Inhalation:	Move to fresh air in case of accidental inhalation of vapours.		
4.2. Most important symptoms and effects, both acute and delayed			
Skin contact:	Irritation or pain may occur at the site of contact. Severe burns may occur.		
Eye contact:	Corneal burns may occur. May cause permanent damage.		
Ingestion:	Corrosive burns may appear around the lips. Nausea and stomach pain may occur.		
Inhalation:	Not applicable.		

Detergent Tab for RATIONAL SelfCookingCenter®

Delayed / immediate effects: Immediate effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Wash the spillage site with large amounts of water. Refer to section 13 of SDS for suitable method of disposal.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Storage class: 8B (Noncombustible corrosive substances)

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Detergent Tab for RATIONAL SelfCookingCenter®

Page: 4

Hazardous ingredients:

SODIUM HYDROXIDE

workplace ex	posure limits:		F	Respirable dust		
State	8 hour TWA	15 min	. STEL	8 hour TWA	15 ו	min. STEL
UK		-	2 mg/m3	-		-
8.2. Ex	oposure controls					
En	gineering measures:	Ensure there is suf	ficient ventilatio	n of the area.		
Re	Respiratory protection:		ion not required			
	Hand protection:	Gloves (alkali-resis	tant). Breakthro	ugh time of the glove material < 1	hour.	
	Eye protection:	Tightly fitting safety goggles. Ensure eye bath is to hand.				
	Skin protection:	Not applicable.				
	Environmental:	No special requirer	nent.			
Section 9: I	Physical and chemi	al properties				
9.1. In	formation on basic pr	sical and chemic	al properties			
	01-1-1	0 - 11 -1				
	State:	50110				
	Colour:					
	Colour:		ır			
	Colour:	White Characteristic odou	ır			
	Colour: Odour: Evaporation rate:	White Characteristic odou				
	Colour: Odour: Evaporation rate:	White Characteristic odou Not applicable. Non-oxidising (by E				
	Colour: Odour: Evaporation rate: Oxidising: Solubility in water:	White Characteristic odou Not applicable. Non-oxidising (by E				
В	Colour: Odour: Evaporation rate: Oxidising: Solubility in water:	White Characteristic odou Not applicable. Non-oxidising (by E Soluble Not applicable.		Melting point/ran	ge°C:	n.a.
	Colour: Odour: Evaporation rate: Oxidising: Solubility in water: Viscosity:	White Characteristic odou Not applicable. Non-oxidising (by E Soluble Not applicable. n.a.			ge°C: pper:	
	Colour: Odour: Evaporation rate: Oxidising: Solubility in water: Viscosity: Soiling point/range°C:	White Characteristic odou Not applicable. Non-oxidising (by E Soluble Not applicable. n.a. n.d.			pper:	n.d.
	Colour: Odour: Evaporation rate: Oxidising: Solubility in water: Viscosity: soiling point/range°C: bility limits %: lower:	White Characteristic odou Not applicable. Non-oxidising (by E Soluble Not applicable. n.a. n.d. >93		u	pper: vater:	n.d. n.d.
	Colour: Odour: Evaporation rate: Oxidising: Solubility in water: Viscosity: colling point/range°C: bility limits %: lower: Flash point°C:	White Characteristic odou Not applicable. Non-oxidising (by E Soluble Not applicable. n.a. n.d. >93 n.d.		u Part.coeff. n-octanol/v	pper: vater: sure:	n.d. n.d.

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

Detergent Tab for RATIONAL SelfCookingCenter®

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Humidity.

10.5. Incompatible materials

Materials to avoid: Acids. Metals.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes. Contact with acids liberates toxic gas.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
Fatty alcohol alkoxylate: ORL	RAT	LD50	3180	mg/kg
Sodium carbonate: ORL	RAT	LD50	2800	mg/kg
Disodium metasilicate: ORL	RAT	LD50	1280	mg/kg
NaOH: ORL	RAT	LD50	2000	mg/kg

Symptoms / routes of exposure

Skin contact: Irritation or pain may occur at the site of contact. Severe burns may occur.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Nausea and stomach pain may occur. **Inhalation:** Not applicable.

Delayed / immediate effects: Immediate effects can be expected after long-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
NaOH: Daphnia magna	24H EC50	76	mg/l
Gambusia affinis	96H LC50	125	mg/l
Disodium metasilicate: Daphnia magna	48H EC50	1700	mg/l

Detergent Tab for RATIONAL SelfCookingCenter®

Page: 6

Danio rerio	96H LC50	210	mg/l
Sodium carbonate: Lepomis macrochirus	96H LC50	300	mg/l
Freshwater invertebrates	48H EC50	200-227	mg/l
Fatty alcohol alkoxylate: Leuciscus idus	96H LC50	0.1-1	mg/l
Aquatic invertebrates	48H EC50	0.1-1	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Waste code number: 20 01 29

Disposal of packaging: May be reused following decontamination.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3262

14.2. UN proper shipping name

Shipping name: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

(SODIUM HYDROXIDE; DISODIUM METASILICATE; Limited Quantity: 1kg)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

Detergent Tab for RATIONAL SelfCookingCenter®

Page: 7

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No.
	1907/2006.
	* indicates text in the SDS which has changed since the last revision.
	Data references: Safety data sheets from our raw material suppliers
	Classification for mixtures and used evaluation method according to Article 9 of regulation
	(EC) 1272/2008 [CLP]:
	Calculation method
	Section 9: n.a. not applicable, n.d. not determined
Phrases used in s.2 and 3:	H314: Causes severe skin burns and eye damage.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
	H400: Very toxic to aquatic life.
	H411: Toxic to aquatic life with long lasting effects.
	R35: Causes severe burns.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and
	shall be used only as a guide. This company shall not be held liable for any damage resulting
	from handling or from contact with the above product.