

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 09-Jun-2016

Print date: 06-Jul-2016

Version: 8

Page 1/10



etolit 3000

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

etolit 3000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

etol-Werk Eberhard Tripp GmbH & Co.OHG

Labor

Allerheiligenstr. 12

77728 Oppenau

Germany

Telephone: +49(0)7804/41-0

Telefax: +49(0)7804/41-168

E-mail: info@etol.de

Website: www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

1.4. Emergency telephone number

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (<i>Met. Corr. 1</i>)	H290: May be corrosive to metals.	
Skin corrosion/irritation (<i>Skin Corr. 1A</i>)	H314: Causes severe skin burns and eye damage.	
STOT-single exposure (<i>STOT SE 3</i>)	H335: May cause respiratory irritation.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05
Corrosion



GHS07
Exclamation mark.

Signal word: Danger

Hazard components for labelling:

disodium metasilicate; sodium hydroxide; Troclosene sodium, dihydrate

hazard statements for physical hazards

H290 May be corrosive to metals.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 09-Jun-2016

Print date: 06-Jul-2016

Version: 8

Page 2/10



etolit 3000

hazard statements for health hazards

H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

hazard statements for environmental hazards

H412	Harmful to aquatic life with long lasting effects.
------	--

Supplemental Hazard information (EU)

EUH031	Contact with acids liberates toxic gas.
--------	---

Precautionary statements Prevention

P280	Wear protective gloves/protective clothing/eye protection/face protection.
------	--

Precautionary statements Response

P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water-/shower.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/....

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 497-19-8 EC No.: 207-838-8 REACH No.: 01-2119485498-19	sodium carbonate Eye Irrit. 2 Warning H319	25 - 50 Wt %
CAS No.: 6834-92-0 EC No.: 229-912-9	disodium metasilicate Skin Corr. 1B, STOT SE 3 Danger H314-H335	25 - 50 Wt %
CAS No.: 1310-73-2 EC No.: 215-185-5 INDEX No.: 011-002-00-6 REACH No.: 01-2119457892-27-0035	sodium hydroxide Skin Corr. 1A Danger H314	5 - 25 Wt %
CAS No.: 51580-86-0 EC No.: 220-767-7	Troclosene sodium, dihydrate STOT SE 3, Acute Tox. 4, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1 Warning H302-H319-H335-H410-EUH031	0 - < 1 Wt %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 09-Jun-2016

Print date: 06-Jul-2016

Version: 8

Page 3/10



etolit 3000

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician. Get medical advice/attention if you feel unwell.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion:

Rinse mouth. Let water be drunk in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water-. Do NOT induce vomiting. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Serious eye damage/eye irritation Irritation to respiratory tract

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.
Water
Carbon dioxide (CO₂)
Extinguishing powder

Unsuitable extinguishing media:

Strong water jet

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products:

Chlorine (Cl₂)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 09-Jun-2016

Print date: 06-Jul-2016

Version: 8

Page 4/10



etolit 3000

6.3. Methods and material for containment and cleaning up

For containment:

Collect spillage. Measures to prevent aerosol and dust generation Wet clean or vacuum up solids.

For cleaning up:

Water (with cleaning agent)

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Do not breathe dust.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed.

Requirements for storage rooms and vessels:

Keep/Store only in original container.

Storage class: 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
WEL (GB)	sodium hydroxide CAS No.: 1310-73-2	② 2 mg/m ³

8.1.2. biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
sodium carbonate CAS No.: 497-19-8	10 mg/m ³	① DNEL worker ② DNEL long-term inhalative (local)
disodium metasilicate CAS No.: 6834-92-0	6.22 mg/m ³	① DNEL worker ② DNEL long-term inhalative (systemic)
disodium metasilicate CAS No.: 6834-92-0	1.49 mg/kg bw/day	① DNEL worker ② DNEL long-term dermal (systemic)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 09-Jun-2016

Print date: 06-Jul-2016

Version: 8

Page 5/10



etolit 3000

Substance name	DNEL value	① DNEL type ② Exposure route
sodium hydroxide CAS No.: 1310-73-2	1 mg/m ³	① DNEL worker ② DNEL long-term inhalative (local)
sodium tripolyphosphate CAS No.: 7758-29-4	0.661 mg/m ³	① DNEL worker ② DNEL acute inhalative (systemic)
sodium tripolyphosphate CAS No.: 7758-29-4	0.661 mg/m ³	① DNEL worker ② DNEL long-term inhalative (systemic)
sodium tripolyphosphate CAS No.: 7758-29-4	0.375 mg/kg	① DNEL worker ② DNEL acute dermal, short-term (systemic)
sodium tripolyphosphate CAS No.: 7758-29-4	0.375 mg/kg	① DNEL worker ② DNEL long-term dermal (systemic)
sodium tripolyphosphate CAS No.: 7758-29-4	0.75 mg/kg	① DNEL worker ② DNEL short-term oral (acute)
sodium tripolyphosphate CAS No.: 7758-29-4	0.75 mg/kg	① DNEL worker ② DNEL long-term oral (repeated)
Troclosene sodium, dihydrate CAS No.: 51580-86-0	8.11 mg/m ³	① DNEL worker ② DNEL long-term inhalative (systemic)

Substance name	PNEC Value	① PNEC type
disodium metasilicate CAS No.: 6834-92-0	7.5 mg/l	① PNEC aquatic, freshwater
disodium metasilicate CAS No.: 6834-92-0	1 mg/l	① PNEC aquatic, marine water
disodium metasilicate CAS No.: 6834-92-0	1,000 mg/l	① PNEC sewage treatment plant (STP)
sodium tripolyphosphate CAS No.: 7758-29-4	0.005 mg/l	① PNEC aquatic, freshwater
sodium tripolyphosphate CAS No.: 7758-29-4	0.005 mg/l	① PNEC aquatic, marine water
sodium tripolyphosphate CAS No.: 7758-29-4	0.05 mg/l	① PNEC aquatic, intermittent release
sodium tripolyphosphate CAS No.: 7758-29-4	0.19 mg/kg	① PNEC sediment, freshwater
sodium tripolyphosphate CAS No.: 7758-29-4	0.14 mg/kg	① PNEC soil, freshwater

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses with side protection

Skin protection:

Tested protective gloves must be worn DIN EN 374 Suitable material: NBR (Nitrile rubber) >0,3mm Breakthrough time (maximum wearing time) 480min In the case of wanting to use the gloves again, clean them before taking off and air them well.

8.2.3. Environmental exposure controls

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 09-Jun-2016

Print date: 06-Jul-2016

Version: 8

Page 6/10



etolit 3000

8.3. Additional information

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: solid

Colour: white

Odour: Chlorine

Safety relevant basis data

parameter		at °C	method	Remark
pH	14	20 °C		
Melting point/freezing point	> 70 °C			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	<i>not determined</i>			
Decomposition temperature (°C):	<i>not determined</i>			
Flash point	<i>not applicable</i>			
Evaporation rate	<i>not determined</i>			
Ignition temperature in °C	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Density	≈ 1 g/cm ³	20 °C		
Bulk density	<i>not determined</i>			
Water solubility (g/L)	> 50 g/l	20 °C		
Partition coefficient: n-octanol/ water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	<i>not determined</i>	40 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals.

10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Warning! Do not use together with other products. May release dangerous gases (chlorine).

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Light metals

Acid

10.6. Hazardous decomposition products

Chlorine

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 09-Jun-2016

Print date: 06-Jul-2016

Version: 8

Page 7/10



etolit 3000

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
497-19-8	sodium carbonate	LD₅₀ oral: =2,800 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)
6834-92-0	disodium metasilicate	LD₅₀ oral: =1,153 mg/kg (Rat) LD₅₀ dermal: >5,000 mg/kg (Rat)
51580-86-0	Troclosene sodium, dihydrate	LD₅₀ oral: =1,400 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)

Acute oral toxicity:

The classification criteria for this hazard class are not met by definition.

Acute dermal toxicity:

The classification criteria for this hazard class are not met by definition.

Acute inhalation toxicity:

The classification criteria for this hazard class are not met by definition.

Skin corrosion/irritation:

Causes severe burns.

Eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

The classification criteria for this hazard class are not met by definition.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Irritation to respiratory tract

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

CAS No.	Substance name	Toxicological information
497-19-8	sodium carbonate	EC₅₀: >200 - <227 mg/l 2 d (Ceriodaphnia spec) LC₅₀: =300 mg/l 4 d (Lepomis macrochirus (Blue gill))
6834-92-0	disodium metasilicate	LC₅₀: =210 mg/l 4 d (Brachydanio rerio (zebrafish-)) EC₅₀: =1,700 mg/l 2 d (Daphnia magna (Big water flea))
1310-73-2	sodium hydroxide	LC₅₀: >133 - <189 mg/l 2 d (Leuciscus idus (golden orfe)) EC₅₀: >100 mg/l 2 d (Daphnia magna (Big waterflea))

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 09-Jun-2016

Print date: 06-Jul-2016

Version: 8

Page 8/10



etolit 3000

CAS No.	Substance name	Toxicological information
51580-86-0	Troclosene sodium, dihydrate	LC₅₀ : =0.37 mg/l 4 d (Oncorhynchus mykiss (Rainbow trout)) EC₅₀ : =0.28 mg/l 2 d (Daphnia magna (Big water-flea))

Aquatic toxicity:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

CAS No.	Substance name	Log K _{OC}	Bioconcentration factor (BCF)
1310-73-2	sodium hydroxide	-3.88	

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

20 01 29 * municipal wastes: Detergents containing dangerous substances

*: Evidence for disposal must be provided.

Waste code packaging:

15 01 10 packaging containing residues of or contaminated by dangerous substances

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Recycle sales packaging via DSD (Duales System Deutschland).

13.2. Additional information

No data available

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN-No.			
1823	1823	1823	1823
14.2. UN proper shipping name			
SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 09-Jun-2016





Print date: 06-Jul-2016

Version: 8

Page 9/10



etolit 3000

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.3. Transport hazard class(es)			
 8	 8	 8	 8
14.4. Packing group			
II	II	II	II
14.5. Environmental hazards			
No	No	No	No
14.6. Special precautions for user			
Special provisions: Limited quantity (LQ): Hazard identification number (Kemler No.): Classification code: - tunnel restriction code: E Remark:	Special provisions: Limited quantity (LQ): Classification code: - Remark:	Special provisions: Limited quantity (LQ): EmS-No.: Remark:	Special provisions: Limited quantity (LQ): Remark:
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No data available			

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Volatile organic compounds (VOC) content in percent by weight: 0%

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

15.3. Additional information

No data available

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 09-Jun-2016

Print date: 06-Jul-2016

Version: 8

Page 10/10



etolit 3000

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (<i>Met. Corr. 1</i>)	H290: May be corrosive to metals.	
Skin corrosion/irritation (<i>Skin Corr. 1A</i>)	H314: Causes severe skin burns and eye damage.	
STOT-single exposure (<i>STOT SE 3</i>)	H335: May cause respiratory irritation.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.