

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18-Mar-2016

Print date: 18-Mar-2016

Version: 6

Page 1/9



## etolit 7000

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

etolit 7000

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products (including solvent based products)

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

etol-Werk Eberhard Tripp GmbH & Co.OHG

Labor

Allerheiligenstr. 12

77728 Oppenau

Germany

Telephone: +49(0)7804/41-0

Telefax: +49(0)7804/41-168

E-mail: info@etol.de

Website: www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

#### 1.4. Emergency telephone number

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals ( <i>Met. Corr. 1</i> )	H290: May be corrosive to metals.	
Skin corrosion/irritation ( <i>Skin Corr. 1A</i> )	H314: Causes severe skin burns and eye damage.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05

Corrosion

Signal word: Danger

Hazard components for labelling:

potassium hydroxide; sodium hypochlorite solution

##### hazard statements for physical hazards

H290 May be corrosive to metals.

##### hazard statements for health hazards

H314 Causes severe skin burns and eye damage.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18-Mar-2016

Print date: 18-Mar-2016

Version: 6

Page 2/9



## etolit 7000

### hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

### Supplemental Hazard information (EU)

EUH031 Contact with acids liberates toxic gas.

### Precautionary statements Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary statements Response

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...

### 2.3. Other hazards

No data available

## SECTION 3: Composition / information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
<b>CAS No.:</b> 1310-58-3 <b>EC No.:</b> 215-181-3 <b>INDEX No.:</b> 019-002-00-8 <b>REACH No.:</b> 01-2119487136-33	<b>potassium hydroxide</b> Skin Corr. 1A, Acute Tox. 4 <b>Danger</b> H302-H314	5 - 25 Wt %
<b>CAS No.:</b> 7681-52-9 <b>EC No.:</b> 231-668-3 <b>REACH No.:</b> 01-2119488154-34	<b>sodium hypochlorite solution</b> Skin Corr. 1B, Aquatic Acute 1 <b>Danger</b> H314-H400-EUH031	1 - 2.5 Wt %

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

#### Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention.

#### After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### After ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get immediate medical advice/attention.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 18-Mar-2016

**Print date:** 18-Mar-2016

**Version:** 6

Page 3/9



## etolit 7000

### Self-protection of the first aider:

Use personal protection equipment.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Water

Carbon dioxide (CO<sub>2</sub>)

Extinguishing powder

#### Unsuitable extinguishing media:

High power water jet/Strong water jet

### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

#### Hazardous combustion products:

In case of fire:Chlorine (Cl<sub>2</sub>)

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Remove persons to safety.

##### Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up:

Water (with cleaning agent)

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18-Mar-2016

Print date: 18-Mar-2016

Version: 6

Page 4/9



## etolit 7000

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Protective measures

##### Advices on safe handling:

Wear personal protection equipment (refer to section 8).

##### Fire prevent measures:

No special fire protection measures are necessary.

##### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

##### Requirements for storage rooms and vessels:

Keep/Store only in original container.

**Storage class:** 8B – Non-combustible corrosive substances

#### 7.3. Specific end use(s)

No data available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1. Occupational exposure limit values

No data available

##### 8.1.2. biological limit values

No data available

##### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
potassium hydroxide CAS No.: 1310-58-3	1 mg/m <sup>3</sup>	① DNEL worker ② DNEL long-term inhalative (local)
silicid acid, sodiumsalt CAS No.: 1344-09-8	5.61 mg/m <sup>3</sup>	① DNEL worker ② DNEL long-term inhalative (systemic)
sodium hypochlorite solution CAS No.: 7681-52-9	1.55 mg/m <sup>3</sup>	① DNEL worker ② DNEL long-term inhalative (systemic)
sodium hypochlorite solution CAS No.: 7681-52-9	1.55 mg/m <sup>3</sup>	① DNEL worker ② DNEL long-term inhalative (local)

Substance name	PNEC Value	① PNEC type
silicid acid, sodiumsalt CAS No.: 1344-09-8	7.5 mg/l	① PNEC aquatic, freshwater
sodium hypochlorite solution CAS No.: 7681-52-9	0.21 µg/l	① PNEC aquatic, freshwater
sodium hypochlorite solution CAS No.: 7681-52-9	0.042 µg/l	① PNEC aquatic, marine water
sodium hypochlorite solution CAS No.: 7681-52-9	0.03 mg/l	① PNEC sewage treatment plant (STP)

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18-Mar-2016

Print date: 18-Mar-2016

Version: 6

Page 5/9



## etolit 7000

### 8.2.2. Personal protection equipment



#### Eye/face protection:

Eye glasses with side protection

#### Skin protection:

Tested protective gloves must be worn DIN EN 374 Suitable material:NBR (Nitrile rubber) >0,3mm Breakthrough time (maximum wearing time) 480min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

### 8.2.3. Environmental exposure controls

No data available

### 8.3. Additional information

No data available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state: liquid

Colour: light yellow

Odour: Chlorine

#### Safety relevant basis data

parameter		at °C	method	Remark
pH	= 14	20 °C		
Melting point/freezing point	<i>not determined</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	> 90 °C			
Decomposition temperature (°C):	<i>not determined</i>			
Flash point	<i>not applicable</i>			
Evaporation rate	<i>not determined</i>			
Ignition temperature in °C	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Density	≈ 1.2 g/cm <sup>3</sup>	20 °C		
Bulk density	<i>not determined</i>			
Water solubility (g/L)	completely miscible	20 °C		
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	<i>not determined</i>	40 °C		

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18-Mar-2016

Print date: 18-Mar-2016

Version: 6

Page 6/9



## etolit 7000

### 10.3. Possibility of hazardous reactions

Warning! Do not use together with other products. May release dangerous gases (chlorine).  
Slowly corrodes aluminium and zinc under hydrogen evolution.

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Acid  
Light metals

### 10.6. Hazardous decomposition products

Chlorine (Cl<sub>2</sub>)

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
1310-58-3	potassium hydroxide	LD <sub>50</sub> oral: =273 mg/kg (Rat)
7681-52-9	sodium hypochlorite solution	LD <sub>50</sub> oral: =1,100 mg/kg (Rat) LD <sub>50</sub> dermal: >20,000 mg/kg (Rabbit) LC <sub>50</sub> inhalative: >10.5 mg/l (Rabbit)

#### Acute oral toxicity:

The classification criteria for this hazard class are not met by definition.

#### Acute dermal toxicity:

The classification criteria for this hazard class are not met by definition.

#### Acute inhalation toxicity:

The classification criteria for this hazard class are not met by definition.

#### Skin corrosion/irritation:

Causes severe burns.

#### Eye damage/irritation:

Causes serious eye damage.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

The classification criteria for this hazard class are not met by definition.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

CAS No.	Substance name	Toxicological information
7681-52-9	sodium hypochlorite solution	LC <sub>50</sub> : =0.06 mg/l 4 d NOEC: =0.04 mg/l 12 d

#### Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18-Mar-2016

Print date: 18-Mar-2016

Version: 6

Page 7/9



## etolit 7000

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

CAS No.	Substance name	Log K <sub>OC</sub>	Bioconcentration factor (BCF)
7681-52-9	sodium hypochlorite solution	-3.42	

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### 13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

#### Waste code product:

20 01 29 *	municipal wastes: Detergents containing dangerous substances
------------	--

\*: Evidence for disposal must be provided.

#### Waste code packaging:

15 01 10	packaging containing residues of or contaminated by dangerous substances
----------	--

### Waste treatment options

#### Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.





#### Appropriate disposal / Package:

Recycle sales packaging via DSD (Duales System Deutschland).

### 13.2. Additional information

No data available

## SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN-No.</b>			
3266	3266	3266	3266
<b>14.2. UN proper shipping name</b>			
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE SOLUTION-, HYPOCHLORITE SOLUTION-)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE SOLUTION-, HYPOCHLORITE SOLUTION-)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE SOLUTION-, HYPOCHLORITE SOLUTION-)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE SOLUTION-, HYPOCHLORITE SOLUTION-)
<b>14.3. Transport hazard class(es)</b>			
 8	 8	 8	 8

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18-Mar-2016

Print date: 18-Mar-2016

Version: 6

Page 8/9



## etolit 7000

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.4. Packing group</b>			
II	II	II	II
<b>14.5. Environmental hazards</b>			
No	No	No	No
<b>14.6. Special precautions for user</b>			
<b>Special provisions:</b> <b>Limited quantity (LQ):</b> <b>Hazard identification number (Kemler No.):</b> <b>Classification code: - tunnel restriction code: E</b> <b>Remark:</b>	<b>Special provisions:</b> <b>Limited quantity (LQ):</b> <b>Classification code: -</b> <b>Remark:</b>	<b>Special provisions:</b> <b>Limited quantity (LQ):</b> <b>EmS-No.:</b> <b>Remark:</b>	<b>Special provisions:</b> <b>Limited quantity (LQ):</b> <b>Remark:</b>

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
No data available

## SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1. EU legislation**

**Other regulations (EU):**

Volatile organic compounds (VOC) content in percent by weight: 0%

**15.1.2. National regulations**

 **[DE] National regulations**

**Water hazard class (WGK)**

**WGK:**

2 - deutlich wassergefährdend

**15.2. Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**15.3. Additional information**

No data available

## SECTION 16: Other information

**16.1. Indication of changes**

No data available

**16.2. Abbreviations and acronyms**

No data available

**16.3. Key literature references and sources for data**

No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 18-Mar-2016

**Print date:** 18-Mar-2016

**Version:** 6

Page 9/9



## etolit 7000

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

#### Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals ( <i>Met. Corr. 1</i> )	H290: May be corrosive to metals.	
Skin corrosion/irritation ( <i>Skin Corr. 1A</i> )	H314: Causes severe skin burns and eye damage.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	

### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.