according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17-Mar-2016 Print date: 06-Apr-2016 Version: 9

Page 1/9



etolit 8000

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier

Trade name/designation:

etolit 8000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor): etol-Werk Eberhard Tripp GmbH & Co.OHG

Labor Allerheiligenstr. 12 77728 Oppenau Germany **Telephone:** +49(0)7804/41-0

Telefax: +49(0)7804/41-168

E-mail: info@etol.de

Website: www.etol.de

E-mail (competent person): wolfgang.gauss@etol.de

1.4. Emergency telephone number

Wolfgang Gauss, +49(0)7804/41-167 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories		Classification proc edure
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	
Skin corrosion/irritation (Skin Corr. 1A)	H314: Causes severe skin burns and eye damage.	
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



Corrosion Immedia Dana

Signal word: Danger

Hazard components for labelling:

potassium hydroxide; sodium hypochlorite solution

hazard statements for physical hazards

H290 May be corrosive to metals.

hazard statements for health hazards

H314 Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17-Mar-2016 Print date: 06-Apr-2016 Version: 9

Page 2/9

etolit 8000

hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

Supplemental Hazard information (EU)

EUH031 Contact with acids liberates toxic gas.

Precautionary statements Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements Response

Precautionary state	Precautionary statements Response		
P303 + P361 +	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with		
P353	water-/shower.		
P305 + P351 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present		
P338	and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER/doctor/		

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concen- tration
CAS No.: 1310-58-3 EC No.: 215-181-3 INDEX No.: 019-002-00-8	potassium hydroxide Skin Corr. 1A, Acute Tox. 4	5 – 25 Wt %
REACH No.: 01-2119487136-33		
CAS No.: 7681-52-9 EC No.: 231-668-3 REACH No.: 01-2119488154-34	sodium hypochlorite solution Skin Corr. 1B, Aquatic Acute 1	1 - 2 Wt %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water-. Do NOT induce vomiting. Get immediate medical advice/attention.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17-Mar-2016 Print date: 06-Apr-2016 Version: 9

Page 3/9

etolit 8000

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed Skin corrosion/irritation

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings. Water Carbon dioxide (CO2) Extinguishing powder

Unsuitable extinguishing media:

Strong water jet

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products:

In case of fire: Chlorine (Cl2)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up: Water (with cleaning agent)

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17-Mar-2016 Print date: 06-Apr-2016 Version: 9

Page 4/9

etolit 8000

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Keep/Store only in original container.

Storage class: 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values No data available

8.1.2. biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	 DNEL type
		② Exposure route
potassium hydroxide CAS No.: 1310-58-3	1 mg/m³	 DNEL worker DNEL long-term inhalative (local)
silicid acid, sodiumsalt CAS No.: 1344-09-8	5.61 mg/m ³	 DNEL worker DNEL long-term inhalative (systemic)
sodium hypochlorite solution CAS No.: 7681-52-9	1.55 mg/m ³	 DNEL worker DNEL long-term inhalative (systemic)
sodium hypochlorite solution CAS No.: 7681-52-9	1.55 mg/m³	 DNEL worker DNEL long-term inhalative (local)
Substance name	PNEC Value	① PNEC type
silicid acid, sodiumsalt CAS No.: 1344-09-8	7.5 mg/l	① PNEC aquatic, freshwater
sodium hypochlorite solution CAS No.: 7681-52-9	0.21 μg/l	① PNEC aquatic, freshwater
sodium hypochlorite solution CAS No.: 7681-52-9	0.042 µg/l	① PNEC aquatic, marine water
sodium hypochlorite solution CAS No.: 7681-52-9	0.03 mg/l	1 PNEC sewage treatment plant (STP)

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17-Mar-2016 Print date: 06-Apr-2016 Version: 9

Page 5/9

etolit 8000

8.2.2. Personal protection equipment





Eye/face protection:

Eye glasses with side protection

Skin protection:

Tested protective gloves must be worn DIN EN 374 Suitable material: NBR (Nitrile rubber) >0,3mm Breakthrough time (maximum wearing time) 480min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

8.2.3. Environmental exposure controls

No data available

8.3. Additional information

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: liquid **Odour:** Chlorine

Colour: yellow

Safety relevant basis data

parameter		at °C	method	Remark
рН	= 14	20 °C		
Melting point/freezing point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	> 90 °C			
Decomposition temperature (°C):	not determined			
Flash point	not applicable			
Evaporation rate	not determined			
Ignition temperature in °C	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	≈ 1.3 g/cm ³	20 °C		
Bulk density	not determined			
Water solubility (g/L)	completely misc ible	20 °C		
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined	40 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17-Mar-2016 Print date: 06-Apr-2016 Version: 9

Page 6/9

etolit 8000

10.3. Possibility of hazardous reactions

Warning! Do not use together with other products. May release dangerous gases (chlorine). Slowly corrodes aluminium and zink under hydrogen evolution.

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Light metals Acid

10.6. Hazardous decomposition products Chlorine

emornie

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
1310-58-3	potassium hydroxide	LD ₅₀ oral: =273 mg/kg (Rat)
7681-52-9	sodium hypochlorite solution	LD ₅₀ oral: =1,100 mg/kg (Rat)
		LD ₅₀ dermal: >20,000 mg/kg (Rabbit)
		LC ₅₀ inhalative: >10.5 mg/l (Rabbit)

Acute oral toxicity:

The classification criteria for this hazard class are not met by definition.

Acute dermal toxicity:

The classification criteria for this hazard class are not met by definition.

Acute inhalation toxicity:

The classification criteria for this hazard class are not met by definition.

Skin corrosion/irritation:

Causes severe burns.

Eye damage/irritation: Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

The classification criteria for this hazard class are not met by definition.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

CAS No.	Substance name	Toxicological information
7681-52-9	sodium hypochlorite solution	LC₅₀: =0.06 mg/l 4 d
		NOEC: =0.04 mg/l 12 d

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

en / DE



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17-Mar-2016 Print date: 06-Apr-2016 Version: 9

Page 7/9

etolit 8000

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

CAS No.	Substance name	Log K _{OC}	Bioconcentration factor (BCF)
7681-52-9	sodium hypochlorite solution	-3.42	

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

20 01 29 * municipal wastes: Detergents containing dangerous substances

*: Evidence for disposal must be provided.

Waste code packaging:

15 01 10 packaging containing residues of or contaminated by dangerous substances

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Recycle sales packaging via DSD (Duales System Deutschland).

13.2. Additional information

No data available

SECTION 14: Transport information

Land transport (ADR/ RID)	Inland waterway craf t (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.1. UN-No.			
3266	3266	3266	3266
14.2. UN proper shi	pping name		
Corrosive Liquid, Ba Sic, Inorganic, N.O.S. (Potassium Hydro- Xide Solution-, Hypo- Chlorite Solution-)	CORROSIVE LIQUID, BA SIC, INORGANIC, N.O.S. (POTASSIUM HYDRO- XIDE SOLUTION-, HYPO- CHLORITE SOLUTION-)	CORROSIVE LIQUID, BA SIC, INORGANIC, N.O.S. (POTASSIUM HYDRO- XIDE SOLUTION-, HYPO- CHLORITE SOLUTION-)	CORROSIVE LIQUID, BA SIC, INORGANIC, N.O.S. (POTASSIUM HYDRO- XIDE SOLUTION-, HYPO- CHLORITE SOLUTION-)
14.3. Transport haz	ard class(es)		
u e	L. Z		Le
8	8	8	8



according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17-Mar-2016 Print date: 06-Apr-2016 Version: 9

Page 8/9

etolit 8000

®
J

Land transport (ADR/ RID)	Inland waterway craf t (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.4. Packing group	0		
II	II	II	II
14.5. Environmenta	l hazards		
No	No	No	No
14.6. Special preca	utions for user		
Special provisions: Limited quantity (LQ): Hazard identificati on number (Kemler No.): Classification code: - tunnel restriction co de: E	Special provisions: Limited quantity (LQ): Classification code: - Remark:	Special provisions: Limited quantity (LQ): EmS-No.: Remark:	Special provisions: Limited quantity (LQ): Remark:
Remark:			

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Volatile organic compounds (VOC) content in percent by weight: 0%

15.1.2. National regulations

[DE] National regulations

Water hazard class (WGK)

WGK:

2 - deutlich wassergefährdend

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

15.3. Additional information

No data available

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 17-Mar-2016 Print date: 06-Apr-2016 Version: 9

Page 9/9



etolit 8000

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]-:

Hazard classes and hazard categories		Classification proc edure
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	
Skin corrosion/irritation (Skin Corr. 1A)	H314: Causes severe skin burns and eye damage.	
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.